


Primacy 2



MULTI-PURPOSE

HIGH
PERFORMANCE

SECURITY



PRINTER



Primacy 2: Packed with High-Tech Features, for Today and Tomorrow

A high-performance printer

With one of the fastest print speeds on the market and a high-capacity feeder and hopper, **Primacy 2 is the ideal solution for medium and large volume printing.**



Its high-resolution printing mode and **color profile** capabilities produce stunning results, close to actual colors with a **high-quality finish.**

Easily create your own cards with an appropriate level of security

From **the simplest to the most secure cards**, Primacy 2 can do it all.


Customized graphics (colors, photos, personal data), encoding of magnetic stripes, contact or contactless chips, holograms, protective laminates, UV effect, etc.

You can **choose the level of security depending on your requirements.**



Features & Advantages

Full details
on Primacy 2 features



*available on some models or as an option

A complete range of consumables

Evolis High Trust consumables ensure **high-quality printing and optimal service life** for your printer.

With a **wide range of cards, ribbons, and cleaning kits** you're sure to find the right product for your needs.

Our selection

- **YMCKOO ribbon**: a double layer of overlay for double protection.
- **Ribbon cassettes** for one-step installation or **EASY4PRO** without cassette for users keen to reduce their environmental impact.

Technical Specifications

GENERAL FEATURES

- Color sublimation directly on the card and resin thermal transfer
- Rewritable card printing
- Single or double-sided print module
- Print resolution:
 - In color and monochrome: 300x300 dpi & 300x600 dpi
 - In monochrome: 300x1200 dpi
- Print optimization via color profile
- User interface: LED panel or LCD touch screen

PRINT SPEED

- Single-sided (YMCKO): up to 280 cards/hour
- Double-sided (YMCKOK): 170 cards/hour
- Single-sided (YMCK) with lamination module: up to 215 cards/hour

CARD MANAGEMENT AND SPECIFICATIONS

- Feeder capacity: 100 cards (0.76 mm – 30 mil)
- Hopper capacity: 100 cards (0.76 mm – 30 mil)
- Rear hopper capacity: 50 cards (0.76 mm – 30 mil)²
- Card types: PVC cards, composite PVC cards, PET cards, ABS cards, and rewritable card

PORTS/CONNECTIVITY

- USB (cable supplied) and Ethernet
- Wireless connection 802.11b/g on Wireless range

EVOLIS HIGH TRUST® RIBBONS

To maximize the quality and lifetime of the printed cards, the service life of the print head, and the overall reliability of your printer, use Evolis High Trust® ribbons.

- Automatic recognition and setup
- Ribbon cassettes for one-step installation or an EASY4PRO offer without cassette for users who want to reduce their environmental impact.
 - YMCKO: 300 prints per roll
 - YMCKOK: 200 prints per roll
 - YMCKOO: 250 prints per roll
 - Black monochrome: 2000 prints per roll¹

List of ribbons available at www.evolis.com

1: Under certain conditions.

2: Warranty subject to strict compliance with specific usage conditions and use of Evolis High Trust® ribbons.

LAMINATION (OPTION)

- Standard single and double-sided
- Extensive laminate offering: patches (600 sides per roll) and varnishes (1,200 sides per roll), with or without hologram, alternate laminates (contact chip cut-out / magnetic stripe cut-out).

List of laminates available at www.evolis.com

OPTIONS INTEGRATED ON SITE

- Double-sided activation key
- 200-card feeder
- LCD touch screen
- Lamination module

SECURITY

- Kensington® security lock
- Optional mechanical locking system
- Print head protection during maintenance or ribbon changes
- Erasing sensitive data from the printer memory
- Kineclipse® optional
- Optional internal scanner reader

ENCODING MODULES

- Magnetic stripe encoder ISO 7811
- Contact smartcard encoders
- Contactless smartcard encoders
- Dual smartcard encoders (contact / contactless)
- Options can be combined
- Factory or on-site installation

SOFTWARE

- Printer management by Evolis Premium Suite for Windows, Mac, and Linux
 - Evolis SDK available for easy product integration
 - Supplied with cardPresso XXS for designing and printing badges
- OS compatibility list available at www.evolis.com



WARRANTY CONDITIONS

- 3 years for the printer
- Optional extended warranty available



ALKAMOUS International Trading Co.

Baghdad – IRAQ

SMART Centre : +964(0) 7901907829

Technical Support : +964(0) 7901907831

E-Mail : support@alkamous.com

ERBIL – Kurdistan Region

ALKAMOUS – Erbil

Tel : +964 (0) 7508327892

E-Mail : evolis-erbil@alkamous.com

DUBAI – U.A.E

ALKAMOUS International Trading

Tel : +971 (4) 3513588

E-Mail : sales@alkamous.com

www.alkamous.net



HQ / EUROPE - MIDDLE-EAST - AFRICA

Evolis - 14 avenue de la Fontaine - ZI Angers-Beaucouzé
49070 - Beaucouzé - FRANCE

T +33 (0) 241 367 606 - F +33 (0) 241 367 612 - info@evolis.com

USA - CANADA

Evolis Inc. - Providence - RI - USA - evolisinc@evolis.com

LATIN AMERICA

Evolis Inc. - Fort Lauderdale - FL - USA - evolisinc@evolis.com

ASIA - PACIFIC

Evolis Asia Pte Ltd - Singapore - evolisasia@evolis.com

CHINA

Evolis China - Shanghai - evolischina@evolis.com

INDIA

Evolis India - Mumbai - evolisindia@evolis.com

www.evolis.com